



Name: MR RUBEN RODRIGO LOPEZ
NHC: 4553973 **Passport Number:** AAG826930

Date of birth: 22/01/1983

Center: Sawbridgeworth
Type of test: CORONAVIRUS SARS-COV-2 Antigen Test

Date of test: 20/12/2021

MICROBIOLOGY AND PARASITOLOGY UNIT

Antigen Test / Antigen-Test
Sample type / Probenotyp:
Nasopharyngeal frotis / Nasopharyngealabstrich

Date - Extraction time / Fecha - hora de extraccion/ Datum - Uhrzeit der Extraktion: 20/12/2021 11:58

Test brand/ Marca del test / Prüfzeichen:

Monlab Abbott, Genesis KaiBiLi

Antigen test SARS-CoV-2 result / Resultado test antígeno coronavirus SARS-CoV-2 / Coronavirus SARS-CoV-2 Testergebnisse:

NEGATIVE / NEGATIVO / NEGATIV

Sensitivity / Sensibilidad / Empfindlichkeit : 91,4 - 97,3%

Specificity / Especificidad / Spezifikation:: 99,6 - 100,0%

Homologation / Homologación / Homologation: Directive 98/79/EC

SARS-CoV-2 virus antigen in your sample is not detected. Negative result is not conclusive of disease absence. If you have been in close contact with a positive patient, you have disease symptoms or you are going to be in contact with risk patients, we recommend you to have the PCR test to confirm this result. Any diagnosis test result should be evaluated by a doctor considering also clinical and epidemiological factors.
